

Вентили фланцевые

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93



Вентиль фланцевый стальной

Материал корпуса: Сталь

Материал диска: Нержавеяка 304 , 316

Шпиндель: Нержавеяка 2Х13 , Нержавеяка 304 ,
Нержавеяка 316

ФУНКЦИИ

Adoptive Standards


Body Test: 1.5 times the working pressure with water. This test is performed after valve assembly and with disc in half position open, it is called as a body hydro test.

Seat Test: 1.1 times the working pressure with water.

Function / Operation Test: At the time of final inspection, each valve and its actuator (Flow-Control Lever / Gear / Pneumatic Actuator), under goes a complete operating test (Open/Close). This test carried out without pressure and at ambient temperature. It ensures the correct operation of the valve / actuator assembly with accessories such as solenoid valve, limit switches, air filter regulator etc.

Special Test: On request, any other test can be carried out according to special instruction by client.

ПАРАМЕТРЫ



PN(Mpa)	Connection Flange	Pressure test		Temperature
		Shell	Seal	≤425
1.6	RF	2.4	1.76	
2.5	RF	3.75	2.75	
4	RF	6	4.4	

Part Name	Body, Bonnet, Yoke	Disc	Stem	Seat	Sealing Ring, Gasket	Packing
Material	WCB	2Cr13	2Cr13	25	304 coated	Flexible Graphite
	ZG1Cr18Ni9Ti	304	304	304		
	ZG1Cr18Ni12Mo2Ti	306	316	316		
	ZGCr5Mo	Cr5Mo	25Cr2MoV			



Вентиль фланцевый чугунный

Материал корпуса: Bonnet: Grey iron, Ductile iron

Материал диска: Чугун, ВЧШГ

Шпиндель: Сталь, Нержавеющая сталь

ФУНКЦИИ

Adoptive Standards :


Body Test: 1.5 times the working pressure with water. This test is performed after valve assembly and with disc in half position open, it is called as a body hydro test.

Seat Test: 1.1 times the working pressure with water.

Function / Operation Test: At the time of final inspection, each valve and its actuator (Flow-Control Lever / Gear / Pneumatic Actuator), under goes a complete operating test (Open/Close). This test carried out without pressure and at ambient temperature. It ensures the correct operation of the valve / actuator assembly with accessories such as solenoid valve, limit switches, air filter regulator etc.

Special Test: On request, any other test can be carried out according to special instruction by client.

ПАРАМЕТРЫ



PN(Mpa)	1.6
Applicable Temperature	≤200℃
Applicable Medium	Water, Oil, Gas and corrosive medium
Main Material	Cast iron, brass, carbon chrome-plated)

DN(mm)	L	D	D1	H	D0	Weight(kg)
15	130	95	65	105-125	73	4.25
20	150	105	75	105-125	73	4.7
25	160	115	85	115-135	95	5.85
32	180	135	100	120-140	95	9.2
40	200	145	110	140-165	125	11.35
50	230	160	125	160-185	125	16.6
65	290	180	145	196-220	170	20.3
80	310	195	160	285-330	217	30
100	350	215	180	305-360	260	40
125	400	245	210	367-396	280	56
150	480	280	240	431-465	320	80
200	600	335	295	513-562	400	122
250	650	405	355	577-635	400	179

По вопросам продаж и поддержки обращайтесь:		
Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132
		Смоленск (4812)29-41-54
		Сочи (862)225-72-31
		Ставрополь (8652)20-65-13
		Сургут (3462)77-98-35
		Тверь (4822)63-31-35
		Томск (3822)98-41-53
		Тула (4872)74-02-29
		Тюмень (3452)66-21-18
		Ульяновск (8422)24-23-59
		Уфа (347)229-48-12
		Хабаровск (4212)92-98-04
		Челябинск (351)202-03-61
		Череповец (8202)49-02-64
		Ярославль (4852)69-52-93