

Гибкие муфты

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93



Flexible Coupling

Size Range: DN80

Pressure: PN16 , 250PSI

Body Materials: QT450-10

Introduction

Features:

Diameter range : DN50-DN600

Applicable pressure : PN16 , 250PSI

Applicable temperature: 0°C ~ 50°C

Suitable medium : Water and neutral liquid

Body material : QT450-10


Application fields: Water supply and drainage, water treatment, water conservancy projects, etc.

Product advantages:

1. Each product has a standard abrasive tool. The grinding tool is CNC machined for high precision.
2. The spheroidization rate of each product can reach level 2 or above.
3. The spray material is sprayed with imported powder paint.

4. Each pipe fitting is tested on site.

Parameters



Name	1-Gland	2-Rubber gasket	3-Body	4-Bolt	5-Nut	
Materials	QT450-10	EPDM	QT450-10	45#	45#	
Size	Range	DN	NPS	D	H	L
DN50 59-73	59-73	50	2	160	100	200
DN65 72-85	72-85	65	2.5	171	100	200
DN80 88-103	88-103	80	3	186	100	200
DN100 108-128	108-128	100	4	211	100	200
DN125 132-154	132-154	125	5	245	100	200
DN150 159-182	159-182	150	6	277	100	200
DN175 192-209	192-209	175	7	305	100	200
DN200 218-235	218-235	200	8	323	100	200
DN250 246-270	246-270	250	10	385	100	200
DN250 271-289	271-289	250	10	385	100	200
DN300 315-332	315-332	300	12	437	150	200

DN300 322-340	322-340	300	12	437	150	200
DN350 374-391	374-391	350	14	495	150	260
DN400 417-437	417-437	400	16	532	150	260
DN450 470-485	470-485	450	18	597	150	260
DN450 480-500	480-500	450	18	597	150	260
DN500 526-546	526-546	500	20	643	150	260
DN600 630-650	630-650	600	24	747	150	260



Ductile Iron Flexible Coupling

Size Range: DN150

Pressure: PN16 , 250PSI

Body Materials: QT450-10

Introduction

Features:

Diameter range : DN50-DN600

Applicable pressure : PN16 , 250PSI

Applicable temperature: 0°C ~ 50°C

Suitable medium : Water and neutral liquid


Body material : QT450-10

Application fields: Water supply and drainage, water treatment, water conservancy projects, etc.

Product advantages:

1. Each product has a standard abrasive tool. The grinding tool is CNC machined for high precision.
2. The spheroidization rate of each product can reach level 2 or above.
3. The spray material is sprayed with imported powder paint.
4. Each pipe fitting is tested on site.

Parameters



Name	1-Gland	2-Rubber gasket	3-Body	4-Bolt	5-Nut	
Materials	QT450-10	EPDM	QT450-10	45#	45#	
Size	Range	DN	NPS	D	H	L
DN50 59-73	59-73	50	2	160	100	200
DN65 72-85	72-85	65	2.5	171	100	200
DN80 88-103	88-103	80	3	186	100	200
DN100 108-128	108-128	100	4	211	100	200
DN125 132-154	132-154	125	5	245	100	200
DN150 159-182	159-182	150	6	277	100	200
DN175 192-209	192-209	175	7	305	100	200
DN200 218-235	218-235	200	8	323	100	200
DN250 246-270	246-270	250	10	385	100	200

DN250 271-289	271-289	250	10	385	100	200
DN300 315-332	315-332	300	12	437	150	200
DN300 322-340	322-340	300	12	437	150	200
DN350 374-391	374-391	350	14	495	150	260
DN400 417-437	417-437	400	16	532	150	260
DN450 470-485	470-485	450	18	597	150	260
DN450 480-500	480-500	450	18	597	150	260
DN500 526-546	526-546	500	20	643	150	260
DN600 630-650	630-650	600	24	747	150	260

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93